


3 YEAR
WARRANTY



Scan the QR code using a smart-phone device,
for product warranty registration online.

Vena II Play



Wireless Streaming Integrated Amplifier

User Manual

QUAD *the closest approach to the original sound*

Downloaded from www.linephaze.com

- Find specs, manuals and used listings across thousands of audio products.

A rectangular warning label with a black border. It features a black triangle on the left with a white lightning bolt symbol, and a black triangle on the right with a white exclamation mark. In the center, a white rectangular box contains the text "CAUTION!" in bold black capital letters. Below this box, the text "RISK OF ELECTRIC SHOCK" and "DO NOT OPEN" are printed in bold black capital letters on a black background.

QUAD

Vena II Play

CONTENTS

INTRODUCTION 3

UNPACKING THE EQUIPMENT..... 3

USB DRIVERS (AND FIRMWARE UPDATES) 3

PLACEMENT 3

CONTROLS AND FUNCTIONS 4

OUTPUT CONNECTIONS 7

INPUT CONNECTIONS 9

REMOTE HANDSET 10

DTS PLAY-FI® WIRELESS STREAMING TECHNOLOGY 13

DOWNLOAD THE APP 14

WI-FI CONNECTION USING THE APP 15

WI-FI CONNECTION SETUP USING A WINDOWS PC OR MAC 17

APP OPERATION 19

WARRANTY COVERAGE 25

SPECIFICATIONS 28



The Bluetooth® word mark and logos are registered trademarks, owned by Bluetooth SIG, Inc. and any use of such marks by IAG Group Ltd is under license. Other trademarks and trade names are those of their respective owners.



aptX® software is copyright CSR plc. or its group companies. All rights reserved.

The aptX® mark and the aptX logo are trademarks of CSR plc. or one of its group companies and may be registered in one or more jurisdictions.

IMPORTANT SAFETY INFORMATION
CONTENTS
INTRODUCTION
CONTROLS AND FUNCTIONS
CONNECTIONS
REMOTE HANDSET
DTS PLAY-Fi® WIRELESS...
WARRANTY COVERAGE
SPECIFICATIONS

INTRODUCTION

Thank you for your investment in the QUAD Vena II Play. We are sure that the Vena II Play will continue to delight you for years to come.

The QUAD Vena II Play is designed to be the perfect match for all of your music sources and provides the necessary amplification to realise the highest quality of your music, regardless of the source.

You can link the Vena II Play to both analogue and digital sources, thanks to its diversity of inputs. A built-in phono pre-amp offers turntable connectivity. An innovative aptX codec provides CD quality audio over Bluetooth® connection. You can also make use of wireless audio streaming and multi-room systems with the built-in DTS Play-Fi technology.

With DTS Play-Fi® Technology, music can be streamed over your wireless network in high resolution format and can be easily expanded to an ultimate multi-room system, if required. You can stream from any source on your wireless network, including smart-phones, tablets or PCs as well as a NAS Drive.

Please read this manual carefully to discover all the ways you can connect your equipment to the QUAD Vena II Play and learn how to get the best performance from all of your music sources.

UNPACKING THE EQUIPMENT

The carton contains:

- The QUAD Vena II Play
- One IEC mains cable with a plug suitable for your area
- Three antenna cables
- One remote controller
- One QUAD Vena II Play user manual

Please note: The remote control requires 1 x CR2025 type battery. Due to international shipping and courier regulations with Lithium Ion batteries, the remote controller battery is not included in this package.

Consult the dealer from whom you purchased the equipment if any item is not present. Carefully unpack the unit and accessories. Take care not to damage the surface finish when undoing the protective polythene sleeve. Retain the packing materials for future use. Retain the user manual and information concerning the date and place of purchase of your equipment for future reference. If you transfer the unit to a third party please pass on this instruction manual along with the equipment.

USB DRIVERS (AND FIRMWARE UPDATES)



To download Windows Drivers, please see the separate manual. Any firmware updates will also be available from www.quad-hifi.co.uk

PLACEMENT

The unit must be mounted on a solid, level and stable surface. Before you connect the QUAD Vena II Play to AC mains power, ensure your AC mains voltage corresponds to the rating on the rear panel of the product. If in doubt, consult your dealer. If you move to an area which has a different mains voltage, seek advice from a QUAD appointed dealer or a competent service technician.

IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

CONTROLS AND FUNCTIONS



IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

INSTALLATION

Before making any connections to your high fidelity equipment make sure that all units in the system are switched off and unplugged at the mains.

Mains Connections

The Mains On/Off switch is on the rear panel. Before connecting your QUAD equipment to the AC mains supply check and make sure the voltage marked on the back matches your supply voltage.

Analog Signal Output Connections

Preamplifier Output

Vena II Play has one pair of unbalanced RCA outputs which can make Vena II Play operate as a preamplifier.

Connect an RCA cable between the unbalanced pre output of Vena II Play and the unbalanced input of a power amplifier or associated equipment. Interconnectors should be of low-noise construction and fully screened to minimize hum and noise transmission.

Loudspeaker Outputs

Vena II Play has two sets of loudspeaker outputs. They are independent for right and left stereo amplifier outputs.

Connect the Positive (+) RED terminals of the amplifier to the Positive (+) RED terminals of the loudspeakers. Connect the Negative (-) BLACK terminals similarly. When connecting loudspeakers tighten the terminals securely by hand. Make sure there are no loose strands of wires which could cause short circuits.

Headphone Output

Vena II Play has a stereo 6.3mm(1/4") jack on the front panel for connecting headphones Connecting headphones mutes the audio signal to the loudspeakers. Vena II Play headphone output can be set up to 4.5V, users can select suitable output levels to suit their headphones.

WARNING: Listening to music at high volume levels and for extended durations can damage one's hearing. In order to reduce the risk of damage to hearing, one should lower the volume to a safe, comfortable level, and reduce the amount of time listening at high levels. Headsets should comply with EN 50332-2 requirements (for GS certification).

IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-Fi® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

NET Button

Activates DTS Play-Fi mode for wireless audio streaming and APP control.

Volume Knob

You can rotate the volume knob clockwise to increase the volume, rotate it counter-clockwise to decrease the volume. Press it once to mute the volume then press twice to un-mute the volume.

Volume Indicator

The volume level indicators have two states: brightly lit and off. To switch between the states, press and hold the volume knob for 4 seconds. In the 'off' state, the indicators will light for 5 seconds once the unit is activated, then go off. 'Off' is the default state.

Standby Button

Press the Standby button briefly to enter/exit the Standby mode.

Hold and press for 4 seconds to enter auto-standby set-up mode. (Please refer to page 12 to enable this function)

USB A Firmware Upgrading Port

This port must only be used to upgrade the internal firmware of Vena II Play. It cannot be used to connect a computer or USB disc to play music.


Ethernet Port

QUAD Vena II supports wired connection to your network music source. Connect the Ethernet Port to the LAN Port of a wireless router using a suitable cable. We recommend you use the wired network to play high resolution files without interruption or instability.

Set-up Button

Use the setup button to help set up your WiFi connection. Press and hold it for 4 seconds to enter the WPS network set-up mode. Press and hold for up to 8 seconds to enter the standard network set-up mode. Press the button again to cancel the WPS network set-up mode.

OUTPUT CONNECTIONS



IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

Analog Signal Input Connections

Vena II Play has two sets of unbalanced RCA inputs for connection to sources which provide line level outputs. Both sets are identical.

Connect an RCA cable between the unbalanced input of Vena II Play and the unbalanced output of a source unit like a CD player or DAC. Interconnections should be of low-noise construction and fully screened to minimize hum and noise transmission.

PHONO Signal Input Connections

Vena II Play has a PHONO signal input, the PHONO input should only be connected to turntables fitted with MM or high output MC cartridges.

Digital Signal Input Connections

Vena II Play has a variety of digital inputs, which can be connected to most popular digital sources, like the digital output of a CD or DVD player, DAC, PC.

Coaxial Input

Vena II Play has a coaxial SPDIF input. Connect an RCA digital interconnection between the digital coaxial output of the source unit to the COAX input of Vena II Play.

Optical Input

Vena II Play has an optical SPDIF input. Connect an optical (TOSlink) interconnection between the digital optical output of the source unit to the OPT input on Vena II Play.

Bluetooth Input

Vena II Play has a built-in Bluetooth signal processor module which can play audio files transmitted from the source unit via Bluetooth wireless transmission. Please refer to page 13 to enable this function.

USB Input


Vena II Play has one B-type USB input which lets you connect a Mac or PC to play audio files stored on a computer.



B-type USB

IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

REMOTE HANDSET



- Press to bring product in/out of Standby mode
- Press to Mute/Unmute the sound. In Mute , the volume indicator on the front panel will flash
- Press to select Previous Source
- Press to select Next Source
- Press to increase volume
- Press to decrease volume

Remote Controller Preparation


- Unpack the handset
- Invert the handset
- Remove the battery cover
- Insert a new battery (type CR2025, not supplied)
- Close the battery cover

Caution About Battery Cautions

To prevent any burning, fire, or any possible harm to the environment or human health from the depleted batteries, please correctly dispose of the waste batteries in light of the recycling rules in your area. Don't dismantle, crush or puncture the batteries. Never short-circuit the batteries, throw the batteries into the water or fire or even try to repair them. The battery only can be changed with CR2025.

IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-Fi® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

OPERATION



Standby Mode

Vena II Play will be in standby mode when powered on. The  indicator on front panel is lit. Press  button to bring Vena II Play out of standby.

You can activate the ‘auto standby’ function, as follows, by holding the  button down for 4 seconds.

The Standby indicator flashes once: Auto-Standby Never. QUAD Vena II Play will not go into Standby mode even if there is no signal input or operation.

The Standby indicator flashes twice: Auto-Standby 20 minutes. QUAD Vena II Play will automatically go into Standby mode if there is no signal input or operation for 20 minutes.

The Standby indicator flashes thrice: Auto-Standby 1 hour. QUAD Vena II Play will automatically go into Standby mode if there is no signal input or operation for 1 hour.

Protection Mode

Vena II Play is protected by a thermal switch which interrupts the AC Power supply if the amplifier is grossly overloaded for a period of time. To restore operation, simply press the  button on the front panel. It is thus fully protected against gross overload, short-circuited output etc, but not neccessarily against seriously inadequate ventilation.

Mute Mode

Users can press the remote handset button  or press the volume knob to bring Vena II Play in or out of Mute mode when playing music. When muted, the volume indicator on the front panel will flash.

Combination Keys Function

PHONO+NET: Restore Factory Defaults

Synchronously hold and press the buttons “ NET and PHONO “for 8 seconds, the Standby LED will flash twice with a warning tone. Then Vena II Play will automatically restore the factory defaults and restart.

PHONO+Volume: Power-on Volume Limit Set-up

To protect the speakers from being damaged by excessive volume, Vena II Play allows you to set up the volume limit value when powered on.

Synchronously hold and press the buttons “PHONO and Volume” for 4 seconds, release them when the volume indicator flashes. Now you can set up the Power-on volume limit value by rotating the volume knob, then press the knob once to confirm the set-up, the indicator will be stably lit.

IMPORTANT SAFETY INFORMATION
CONTENTS
INTRODUCTION
CONTROLS AND FUNCTIONS
CONNECTIONS
REMOTE HANDSET
DTS PLAY-FI® WIRELESS...
WARRANTY COVERAGE
SPECIFICATIONS

You can set up any volume from Min. level to Max. level depending on your need. If Vena II Play was switched off with the volume level above the set-up value, the set-up volume defaults to be played when the unit is next switched on. If Vena II Play was switched off with the volume level below the set-up value, the volume will keep the same when the unit is next switched on.

Playing Music via Analog Inputs

Connect the analog signal of a source unit to Vena II Play's AUX1 or AUX2 input. Press AUX1 or AUX2 button on the front panel. AUX1 or AUX2 indicator will be lit and music will start playing.

Playing Music via Digital Inputs

Connect coaxial SPDIF signal of source units to the digital in COAX jack on Vena II Play's panel. Press COAX button on the front panel.

Connect optical (TOSLink) signal of source units to Vena II Play's OPT jack on Vena II Play's rear panel. Press OPT button on the front panel.

Playing Music via USB input

Connect a Mac or PC via the B-type USB interface on Vena II Play's panel. Press USB button on the front panel. USB indicator will be lit, and then click play on your music player software to play audio files stored on your computer.

Playing Music via Bluetooth

You can wirelessly connect Vena II Play to a music source via Bluetooth wireless technology. Volume up/down, standby and mute in/out can be controlled from either your Bluetooth source or from Vena II Play. Other functions-play, pause, previous track, next track, fast forward and reverse are all controlled from your Bluetooth source only.

Establishing a Bluetooth Connection

1. Place Vena II Play and a Bluetooth music source within a few meters of each other.
2. Power on Vena II Play and select Bluetooth as the source. The Bluetooth source indicator will flash when in pairing mode.
3. Activate the Bluetooth function on your music source.
4. Select "Quad Vena II Play" when Vena II Play is found to start the pairing process.
5. If prompted for a password, enter "0000".

To play music

Select Vena II Play as a music output device on your Bluetooth source to start playing music.

Disconnecting

To disconnect the Bluetooth music source either:

- Move the Bluetooth source beyond the communication area
- Turn off the connected device or turn off its Bluetooth function
- Hold and press the BT button for 3 seconds to disconnect the BT compulsorily

Note:

If you have difficulty connecting Vena II Play to a Bluetooth device, please try selecting "Forget this Device" on your source unit and then go through the connection procedure again.

Playing Music Via DTS Play-Fi


You can stream music from multiple sources via the DTS Play-Fi functionality of the Vena II Play. See the following pages for more information about DTS Play-Fi and the world of music sources which you can connect and enjoy via the Quad Vena II Play.

IMPORTANT SAFETY INFORMATION
CONTENTS
INTRODUCTION
CONTROLS AND FUNCTIONS
CONNECTIONS
REMOTE HANDSET
DTS PLAY-FI® WIRELESS...
WARRANTY COVERAGE
SPECIFICATIONS

DTS PLAY-FI® WIRELESS STREAMING TECHNOLOGY


Key Features

DTS Play-Fi puts you in complete control of your music. It gives you the freedom to effortlessly stream via Wi-Fi® from any device to any speaker in any room in your house. It's never been easier to listen to music with the people you love, in the place you love most. A place that memories are made and music plays the starring role.



WI-FI®TECHNOLOGY

DTS Play-Fi streams music over standard Wi-Fi networks, delivering perfectly synchronized audio, with no lag and zero loss in sound quality.



MULTI-ROOM

Enjoy music in every room of your house — all at once, perfectly synchronized, with no lag. You're in control.




ANY OPERATING SYSTEM

Fully compatible with all operating systems: Apple iOS, Android™, Windows® PC, and Fire OS.



MULTI-SPEAKER

DTS Play-Fi is open to all speakers, no matter the size, shape, or brand. It's a truly all-inclusive system.



EASY SETUP

No logins, no complicated computer-based setups. Just download the APP and within minutes, you're ready to listen.



DTS PLAY-FI APP

Simply download the free APP and immediately send songs via Wi-Fi to any speaker in any room of the house.

For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS Licensing Limited. DTS, Play-Fi, the Symbol, and Play-Fi together in combination with the Symbol are trademarks of DTS, Inc. DTS and Play-Fi are registered trademarks of DTS, Inc. © DTS, Inc. All Rights Reserved.

IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

DOWNLOAD THE APP

The DTS Play-Fi APP can be downloaded from the Google Play Store, Amazon APP Market or Apple App Store. For Windows PC you can download the Play-Fi Windows APP from the official website: <https://play-fi.com>



Network Settings

Wired network setting

Connect the Ethernet Port to the LAN port of a wireless router using a suitable cable. After switching on the Vena II Play, the white NET LED on the front panel and red Wi-Fi LED on the rear panel will flash during the initialize phase of Wi-Fi mode. the white NET LED will slow-flash when the device goes into the wired network connection. If the connection is successful, the red Wi-Fi LED will go off, but the white NET LED stays lit.

Wireless Network Setting

You can connect to a wireless network using one of two modes: WPS Mode or Standard Mode.

WPS Mode:

In order to make the Vena II Play enter WPS Mode, switch the unit on and press and hold the Wi-Fi SET-UP button on the rear panel for 4 seconds. The Wi-Fi LED will double-flash and beep with a warning tone indicating that WPS Mode is active. Then briefly press the WPS key on your wireless router and the unit should connect to your wireless network automatically. This connection phase may take up to 60 seconds. If the connection fails, please try again. However, if the unit has failed to enter WPS Mode for 2 minutes, the unit will convert into Standard Mode.


Standard Mode:

After switching the Vena II Play on, press and hold the Wi-Fi SET-UP button on the rear panel for 8 seconds. For the first 4 seconds the Wi-Fi LED will double-flash and beep with a warning tone - keep holding the button down and after 8 seconds the Wi-Fi LED will flash quickly and also beep with a warning tone. The Standard connection mode is now active and the Wi-Fi hotspot will be found after 20 seconds. Then the Wi-Fi LED will flash-breathe with a slow fluctuation between off and on (reflected by the white LED on the front panel). You can now use your Android or IOS device to enter the Wi-Fi password using the Play-Fi APP as follows (see next page):


IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-Fi® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

For Apple iOS users:

(1) Download the Play-Fi APP. Before opening the APP please switch to the Settings - Wi-Fi menu on your smartphone or tablet and select 'PlayFiXDeviceXXXXXX' from the options.



(2) Open the Play-Fi APP and find the Vena II Play Play-Fi Device name. Select it and enter your wireless network password.



- (3) During installation the APP will find and upgrade the Vena II Play Play-Fi settings which may take a few minutes.
(4) After completing the network set-up and upgrading you can set a name for your Vena II Play Device and use it.

IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-Fi® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------


WI-FI CONNECTION SETUP USING A WINDOWS PC OR MAC

For PC or Mac users:

If you cannot connect to use the Play-Fi APP, or you need to do some high-level options such as setting the static IP configuration, you can setup the Vena II Play using a web browser from your Windows PC or a Mac.

Set the Vena II Play to Standard Set-up mode, then follow these steps:

- (1) Connect your computer to the wireless Wi-Fi of the Vena II Play - it will show like 'PlayFi2Device000XXXXX' or similar name. After connecting your computer may show 'No Internet Connection' - this is normal.
- (2) Open your Internet Browser and type: 192.168.0.1/index.html in the address bar.
- (3) Click the Enter key or click 'Continue' option in your Internet Browser.
- (4) This will open the Play-Fi configuration.
- (5) Select the 'Set Up' button.



- (6) Select your wireless router Wi-Fi network.



IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

(7) Enter the password for your wireless network. Then click the 'NEXT' button.

Enter the Network Password

Enter Password:

NEXT >

(8) You can then name your Vena II Play Device and click 'NEXT'. The Wi-Fi connection will be made and you can use the device.

IMPORTANT SAFETY INFORMATION
CONTENTS
INTRODUCTION
CONTROLS AND FUNCTIONS
CONNECTIONS
REMOTE HANDSET
DTS PLAY-FI® WIRELESS...
WARRANTY COVERAGE
SPECIFICATIONS

APP OPERATIONS

Device Selection

The DTS Play-Fi APP allows you to control and direct streaming music to a variety of devices throughout your home that use the DTS Play-Fi system. The streaming music also can be played by Spotify Connect and DLNA. You can set each device to have a unique name. You can also group devices into an Area, where each device will play the same music.

After connecting the network, open the DTS Play-Fi APP, click the '+' icon on the upper right corner of the APP display. Select an Area to add, then select a device on which to play the music. If you wish to play high-resolution audio files, the icon 'Hi-Res AUDIO' should be selected.

Music Services

DTS Play-Fi supports the world's most popular and exciting streaming music services, so you can enjoy your favorites at home just as easily as you do in the gym. See below for more information of streaming music service platforms. Please feel free to choose one you like.

(Note: some streaming music service platforms probably need to be registered.)

Amazon Music

Amazon Prime members can use Amazon's popular music service for free. A growing selection of over 2 million songs is always ad-free and on-demand, with curated playlists, personalized stations and unlimited skips. Upgrade to Prime Music Unlimited, and enjoy 10 million songs, weekly new releases, and more.



Deezer

With 43 million tracks, 100 million playlists, and a presence in 182 countries, Deezer literally covers the globe for its subscribers. Subscriptions start at \$9.99/month, and include ad-free playback and more.



iHeartRadio

iHeartRadio combines access to over 1,500 of the most popular live terrestrial and internet radio stations with unique live events and compelling custom features, like artist radio, personalized radio, and on-demand podcasts for FREE. Their new Plus and All-Access subscriptions allow you to pause, rewind, skip and save live radio content, stream on-demand music, and more.



Internet Radio

DTS Play-Fi has a built-in Internet Radio service that gives you access to thousands of radio stations and podcasts from around the globe. Instantly see your local favorites, or tune into the BBC, ESPN, Radio Disney, the Wall Street Journal, and more. Browsing is a snap, and if you find a station you love, just give it a star and it'll be ready to stream whenever you are. Free, no subscription required.



Juke

With more than 20 million tracks and a dedicated base of music fans, Juke's streaming service includes popular features like on-the-go playlists, new music discovery, and ad-free listening. DTS Play-Fi is the only multi-room audio platform to offer the Juke service.



KKBox

KKBox is Asia's leading streaming music service, with over 30 million tracks from 500 local and major labels, and the most comprehensive collection of Asia-Pop in the world. Featuring both free and premium options, the service also includes mood-based programming and supplemental content including music news, videos, concert updates and more.



IMPORTANT SAFETY INFORMATION	
CONTENTS	
INTRODUCTION	
CONTROLS AND FUNCTIONS	
CONNECTIONS	
REMOTE HANDSET	
DTS PLAY-FI® WIRELESS...	
WARRANTY COVERAGE	
SPECIFICATIONS	

Tidal

High Fidelity Music Streaming is Tidal’s hallmark. Every track on the service streams in premium audio format, with most in lossless CD quality or above. The service also boasts many exclusive new releases, artist-curated stations and in-depth features designed to complement the music offerings. Available to DTS Play-Fi users in the US and more than 50 other countries.



In addition to the support listed above, it also supports music services such as BBC, ESPN RADIO, HD tracks, NPR, tunein and so on, and there will be more music platforms involved in the development.


DISCLAIMER: Not all music services are available in all regions and countries.

Line In Mode

The Vena II Play supports wireless broadcasting of any of your music source inputs to other DTS Play-Fi audio solutions on your network. For instance, you can stream the turntable input from your VENA II PLAY to other DTS Play-Fi wireless speakers or streamers via the app. Perfect for a multi-room home audio solutions.

To activate this mode simply click the icon “+” on the top right corner of DTS Play-Fi App, select “Line In”, then select the source unit, source channel and music genre. Finally select the secondary audio output device to which you wish to broadcast and click “Start Line In Broadcast” to play.

Note: there should be at least 2 or more than 2 units of DTS Play-Fi system supporting to use this function. The Broadcast mode can support all the input channels except the Bluetooth functionality.




IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-Fi® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

Speakers Group

To stream music from Vena II Play to multi-room Devices such as DTS Play-Fi Speakers, open the DTS Play-Fi APP, find the Device or Speaker, give it a name and then add it.

To delete the Device or Speaker, just click on the right side of the Device name and then delete.

Currently it is not recommended to wirelessly stream Hi-Res audio to speakers if you want stable, uninterrupted playback.



IMPORTANT SAFETY INFORMATION	
CONTENTS	
INTRODUCTION	
CONTROLS AND FUNCTIONS	
CONNECTIONS	
REMOTE HANDSET	
DTS PLAY-FI® WIRELESS...	
WARRANTY COVERAGE	
SPECIFICATIONS	

Spotify Group Setup


Open the Set Up of the DTS Play-Fi app and click the Spotify Group. Create a new group and name for it, then select any Play-Fi products you want to add into this group (on the right side). Any speakers that can't be added to the Spotify Group will show in grey. Any speakers that can't be joined to a Spotify Group will be greyed out. Once you're satisfied, head to the Spotify app to start streaming.

Surround Sound

So far, QUAD Vena II Play cannot support the play of "Surround Sound", "Amazon Alexa" and "Airplay". For the common problems in utilization and fault diagnosis, you can open the APP settings to find the "Fault diagnosis", then enter the DTS Play-Fi website knowledge base which has the detailed information.

Update System

If there is an update available, click "Update System" and the process will carry on automatically. Click "About", you can see the DTS Play-Fi's APP version and the status of network connection, IP address and versions of the module software and MCU. For 'Advanced Settings' you can choose from various options - the default mode is recommended.



IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------


DTS Play-Fi Windows Application

In your PC of Windows 7,8, 8.1, or 10, DTS Play-Fi windows application allows you to stream any audio source like the APP servers or Websites, which includes Spotify, Google Play, iTunes, Xbox Live, etc.

Music Play Mode: recently the Music Play Mode is only suitable for the free version. After you select the Music Mode, then select the Vena II Play speaker to play.

Video Play Mode: upgrade this mode to be a high-grade version, purchasing a licensed key to activate the high-resolution DTS Play-Fi. The videos and Vena II Play audios both can be played synchronously throughout the high-resolution DTS Play-Fi. Click the option “Video Play Mode” then select the speaker to play. A variety of videos, such as YouTube, Windows media player, etc, are available with the high-resolution DTS Play-Fi.

The high-resolution DTS Play-Fi is the unique feasible scheme that contains high-grade encoder, decoder and proprietary QoS (Service Quality) technology to realize the Wi-Fi streaming play and provide the amazing audio accuracy even if in the busiest network.



WARRANTY COVERAGE

QUAD warrants its products, subject to the following terms and conditions below, to be free from defects in materials and workmanship.

Online Registration



Scan the QR code using a smart-phone device, for product warranty registration online.

The three (3) year extended warranty is applicable to items purchased from Jan 1st 2021, onwards. Items purchased prior to this date are not eligible for this extended warranty service but are subject to statutory warranty claims and all applicable consumer rights.

To qualify for the extended 3 year warranty, you must register your product within ninety (90) calendar days from the date of purchase. Visit <https://www.quad-hifi.co.uk/warranty-registration> to complete your online registration. Items not registered online will have a Limited Warranty for one (1) year, or for the period of your country's statutory warranty, whichever is longer.

Warranty can only be offered to products registered with proof of purchase with date, model and details of the authorised dealer clearly stated on the receipt/invoice. Please keep the original receipt/invoice in case it is required for a warranty claim.

This Limited Warranty is non-transferable and is offered exclusively to the original owner.

This Limited Warranty is valid only in the original country of purchase.

Repairs or replacements are provided under this warranty are the exclusive remedy of the consumer. QUAD shall not be liable for any incidental or consequential damages for breach of any expenses or implied warranty with any product. Except to the extent prohibited by law, this warranty is exclusive and in lieu of all other warranties whatsoever, both expressed and implied, including but not limited to the warrant of merchantability and fitness for practical purpose.

This warranty provides benefits that are additional to and do not affect your statutory consumer rights.

This Limited Warranty offer is subject to correct information being submitted in your application. Incorrect dates or mismatched purchase receipt dates that are outside of the warranty terms will immediately invalidate any warranty claim.

*Please check with your dealer local distributor for further information.

Exclusions

The following items are excluded from the QUAD warranty:

Normal wear and tear and cosmetic damage (including but not limited to any wear from reasonable use, environmental deterioration or neglect)

Products on which the serial number has been removed, altered or otherwise made illegible.

Products not purchased from an authorised QUAD dealer.

Products that were not new at the time of original purchase.

Products sold 'as is', 'as seen' or 'with faults'.

Product not purchased from an Authorised Dealer/Distributor within the region of the claim (ie parallel imports or grey market products)

IMPORTANT SAFETY INFORMATION	Accidental damage or faults caused by commercial use, acts of God, incorrect installation, incorrect connection, incorrect packaging, misuse or careless operation or handling which is not in accordance with the user instructions. Equipment that has been operated in conjunction with unsuitable, inappropriate or faulty apparatus. Repairs, alterations or modifications carried out by parties other than QUAD or its authorised service partners. Damage in transit that cannot be attributable to the fault of QUAD, the authorised distributor or dealer (ie. claims otherwise covered by transit insurance.) Faults relating to abnormal or inappropriate power supply voltage or power surges. Faults relating to extremities in temperature, exposure to heat, water or other liquids, insects, excessive moisture, sand, chemicals, battery leakage or any other contaminants. Any force majeure events, including but not limited to any acts of God, fire, lightning, typhoon, storm, earthquake, hurricane, natural disaster, tsunami, flood, war, riot, public disturbance. Any other causes beyond the reasonable control of either QUAD and its Authorised Distributor. Please note items purchased before 1st Jan 2021 are not eligible for the extended warranty claim.	
CONTENTS		
INTRODUCTION		
CONTROLS AND FUNCTIONS		
CONNECTIONS		
REMOTE HANDSET		
DTS PLAY-FI® WIRELESS...		
WARRANTY COVERAGE	How to Claim To obtain warranty service please contact the authorised dealer from which you purchased this product and present the limited warranty certificate offered upon registration of your product's extended warranty offer. Do not dispatch goods without the prior agreement of the dealer distributor or authorised service centre. If asked to return products for inspection and or repair, please pack carefully preferably in the original carton or packaging affording an equal degree of protection and returned via insured, trackable courier service. The authorised dealer or distributor will offer full return details and instructions. However, please note if unsuitable packaging is used the warranty may be deemed void due to improper action in return. QUAD or the authorised distributor, dealer or service centre may make a charge for the supply of new packaging for the return of the repaired item. Please note, insurance is recommended as goods are returned at the owner's risk. Authorised distributors or service centres can not be held liable for loss or damage in transit. insurance and freight charges on the return journey will be paid for by QUAD, authorised dealer, distributor or service centre if corrective work proves to be necessary. In the event of 'no-fault found' or 'no repair necessary', the return shipping charge will be the responsibility of the owner.	
SPECIFICATIONS	Repairs All repairs will be carried out by the appointed distributor (or locally appointed service centre). Repairs handled or processed without authorisation or approval of the appointed representative will be excluded from this limited warranty. Please note, QUAD is not able to supply parts or replacement items to any other entity than the official distributor or authorised service centre. Other than the warranty and services set out in this warranty, to the fullest extent permitted by law, QUAD shall not be liable to you and/or any third party or entity whatsoever for: - Any loss, damages and/or malfunction caused to any product(s) which is/are connected to any of the products covered by this warranty. - Any damages, loss and liability, whether direct, indirect, incidental, consequential special, punitive or otherwise, howsoever caused by, arising out of or otherwise, in relation to the installation, delivery, use, service, repair, replacement and/or maintenance of the product; - Any damages, loss and liability under this warranty in respect of any act, omission, or negligence of any of their technicians, employees, agents, representatives or independent contractors relating to the actual or purported performance of any of the obligations under this warranty.	

IMPORTANT SAFETY INFORMATION	CONTENTS	INTRODUCTION	CONTROLS AND FUNCTIONS	CONNECTIONS	REMOTE HANDSET	DTS PLAY-FI® WIRELESS...	WARRANTY COVERAGE	SPECIFICATIONS
---------------------------------	----------	--------------	---------------------------	-------------	-------------------	-----------------------------	----------------------	----------------

Service Centre Address

For technical support, servicing or product queries and information please contact either your local retailer or the office below.

IAG Service Dept.
13/14 Glebe Road
Huntingdon
Cambridgeshire
PE29 7DL
UK

Tel: +44(0)1480 452561
Email: service@quad-hifi.co.uk

For information on other authorised service centres worldwide contact QUAD International, UK.
A world wide distributors list is available on the QUAD website: www.quad-hifi.co.uk

SPECIFICATIONS

Model	Vena II Play
DTS Play-Fi Technology	Dual - band 802.11a/b/g/n Support global, popular streaming content (Amazon Music, Spotify, TIDAL, Juke, BBC, ESPN, KKBox, SiriusXM, Napster, Internet Radio, Deezer, iHeartRadio, PANDORA, SOUNDMACHINE, tunein, Qobuz, Qmusic) Support Speakers Group Support android/iOS/Kindle Fire/Windows PC
Analogue Pre-Amplifier Section:	
Input Sensitivity (AUX)	525mV
Input Sensitivity (Phono, MM)	2.5mV
Input Impedance	10Kohm (AUX) , 47Kohm // 100pF (Phono)
Inputs	2 x AUX , 1x Phono (MM)
Output	1 x Pre-Out (RCA)
Frequency Response	20Hz-20KHz (+/- 0.5dB)
Total Harmonic Distortion (THD)	< 0.002%
Signal To Noise	> 110dB (A-Weighted)
Power Amplifier Section	
Rated Power	2 x 45W (8ohm) / 2 x 65W (4ohm)
Frequency Response	20Hz-20KHz (+/- 0.5dB)
Total Harmonic Distortion (THD)	< 0.005% (30W, 8ohm)
Signal To Noise	> 108dB (A-Weighted)
Digital Section	
DAC	ESS Sabre32 ES9018K2M chip
Sampling Frequency	Optical, coaxial: 44.1kHz ---192kHz ; USB:44.1kHz---384kHz(PCM)/DSD64, DSD128, DSD256 Ethernet, Wi-Fi: 44.1kHz ---192kHz
Digital Input	1 x Coaxial, 1 x Toslink Optical 1 x USB for PC USB Bluetooth(aptX, aptX LL)
Mechanical Section	
Size (W X H X D)	301 x 95 x 313 mm
Net Weight	6.1kg

Channel Indicators

The channel indicators indicate the current state of the channel you choose.

Channel Indicators	Device States	LED States
NET Indicator	Wi-Fi mode in initialization state	LED is fast-flash white
	WPS network set-up mode	LED is double-flash white
	Standard network setup mode	LED breathe white
	Connecting network	LED slow-flash white
	Wi-Fi /Wired Network connection	LED is bright white
BT Indicator	Spotify	LED is bright green
	BT disconnection	LED flash white
	BT connection	LED is bright white
USB Indicator	In the PC USB channel	LED is bright white
OPT Indicator	In the OPT channel	LED is bright white
COAX Indicator	In the COAX channel	LED is bright white
AUX1 Indicator	In the AUX1 channel	LED is bright white
AUX2 Indicator	In the AUX2 channel	LED is bright white
PHONO Indicator	In the PHONO channel	LED is bright white



Correct Disposal of this product. This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.

QUAD

IAG House, 13/14 Glebe Road, Huntingdon, Cambridgeshire, PE29 7DL, UK
Tel: +44(0)1480 452561 Eml: service@quad-hifi.co.uk <http://www.quad-hifi.co.uk>
IAG reserves the right to alter the design and specifications without notice. All rights reserved © IAG Group Ltd.

Downloaded from www.linephaze.com

- Find specs, manuals and used listings across thousands of audio products.